INDEX TO VOLUME 78(1992)

AUTHORS

Aurioles-Gamboa, D.: Notes on a mass stranding of Baird's beaked whales in the Gulf of California, Mexico, 116-123

Bartley, D.M., B. Bentley, P.G. Olin, and G.A.E. Gall: Population genetic structure of coho salmon (*Oncorhynchus kisutch*) in California, 88-104

Bentley, B.: see Bartley, 88-104

Bleich, V.C.: Review of: Midnight wilderness: journeys in Alaska's Arctic National Wildlife refuge by Debbie S. Miller, 85-96

Bleich, V.C.: Review of: Natural history of the White-Inyo Range, Eastern California, edited by Clarence Hall, Jr., 84

Bodkin, J.L., and L. Browne: Molt frequency and size-class distribution in the California spiny lobster (*Panulirus interruptus*) as indicated by beach-cast carapaces at San Nicolas Island, California, 136-144

Browne, L.: see Bodkin, 136-144

Buck, S.G.: see Winchell, 153-159

Bumguardner, B.W., R.L. Colura, A. Henderson-Arzapalo, and A.F. Maciorowski: Culture of spotted seatrout, orangemouth corvina, and their hybrids, 105-115

Castleberry, D.T., and J.J. Cech, Jr.: Critical thermal maxima and oxygen minima of five fishes from the upper Klamath Basin, 145-152

Cech, J.J. Jr.: see Castleberry, 145-152

Colura, R.L.: see Bumguardner, 105-115

Conger, S.L., and G.A. Giusti: Observation of black bear (*Ursus americanus*) predation on Columbian black-tailed deer (*Odocoileus hemionus columbianus*), 131-132

Crane, N.L., and J.N. Heine: Observations of the prickly shark (*Echinorhinus cookei*) in Monterey Bay, California, 166-168

Danemann, G.D.: Prey storing behavior in the Pacific green moray eel (*Gymnothorax castaneus*), 172

Echeverria, T.W., see Marshall, 56-64

Erman, N.A., and C.D. Nagano: A review of the California caddisflies (Trichoptera) listed as candidate species on the 1989 Federal "Endangered and threatened wildlife and plants; animal notice of review, 45-56

Gall, G.A.E.: see Bartley, 88-104

Gilchrist, F.M.C.: see Van Hoven, 124-127

Giusti, G.A.: see Conger, 131-132

Gordon, D.A.: see O'Connell, 173

Heine, J.N.: see Crane, 166-168

Henderson-Arzapalo, A.: see Bumguardner, 105-115

Hepler, K.: see O'Connell, 173

Hoffmann, A.: see O'Connell, 173

Krausman, P. R., L.K. Sowls, and B.D. Leopold: Revisiting overpopulated deer ranges in the United States, 1-10

Lea, R.N., and R.H. Rosenblatt: The Cortez grunt (*Haemulon flaviguttatum*) recorded from two embayments in Southern California, 163-165

Leopold, B.D., see Krausman, 1-10

Littrell, E.E.: Swallow mortality during the "March Miracle" in California, 128-130

Loft, E.R.: *California Fish and Game*, California's longest continuously published journal, 174-176
Long, D.J.: Confirmation of the northern range of the snubnose sculpin (*Orthonopias triacis*), 160-162
Maciorowski, A.F.: see Bumguardner, 105-115
Marshall, W.H., and T.W. Echeverria: Age, length, weight, reproductive cycle and fecundity of the monkeyface prickleback (*Cebidichthys violaceus*), 57-64
Morrison, M.L.: The use of high-cut stumps by birds, 78-83
Nagano, C.D., see Erman, 45-56
O'Connell, V.M., D.A. Gordon, A. Hoffmann, and K. Hepler: Northern range extension of the vermilion rockfish (*Sebastes minatus*), 173
Olin, P.G.: see Bartley, 88-104
Raquel, P.F.: Record of the alligator gar (*Lepisosteus spatula*) from the Sacramento-San Joaquin Delta, 169-171
Raveling, D.G., and D.S. Zezulak: Changes in distribution of cackling Canada geese in Autumn, 65-77
Rosenblatt, R.H.: see Lea, 163-165
Spratt, J.D.: The evolution of California's herring roe fishery: catch allocation, limited entry, and conflict resolution, 20-44
Soiseth, C.R.: The ph and acid neutralizing capacity of ponds containing *Pseudacris regilla* larvae in an alpine basin of the Sierra Nevada, 11-19
Sowls, L.K.: see Krausman, 1-10
Telfer, T.C.: see Van Hoven, 124-127
Van Hoven, W., F.M.C. Gilchrist, and T.C. Telfer: A comparison of rumen ciliates in black-tailed deer from California and Hawaii, 124-127
Winchell, C.S., and S.G. Buck: Illegal harvest of spike bucks during a regulated mule deer hunt, 153-159
Zezulak, D.S., see Raveling, 65-77

SUBJECT

Amphibians: Acid neutralizing capacity of ponds in the Sierra Nevada, 11-19
Caddisflies, California: Review of Federally endangered and threatened species, 45-56
California Fish and Game: California's longest continuously published journal, 174-176
Corvina, Orangemouth: Culture and hybridization with spotted seatrout, 105-115
Deer, Columbian black-tailed: Comparison of rumen ciliates of translocated deer, 124-127
Deer, Columbian black-tailed: Observation of predation by black bear, 131-132
Deer, Mule: Illegal harvest of spike bucks, 153-159
Deer: Overpopulated ranges in the United States: 1-10
Eel, Pacific Green Moray: Prey storing behavior, 172
Gar, Alligator: Specimen from the Sacramento-San Joaquin Delta, 169-171
Geese, Cackling Canada: Distribution in Autumn, 65-77
Grunt, Cortez: Recorded in two embayments in Southern California, 163-165
Herring, Pacific: Evolution of California's roe fishery, 20-44
Lobster, Spiny: Molt frequency and size-class distribution, 136-144
Oxygen: Critical minima in Klamath basin fishes, 145-152
Prickleback, Monkeyface: Age, length, weight, and reproductive cycle, 57-66
Rockfish, Vermilion: Northern range extension, 173

Salmon, Coho: Population genetics, 88-104
Sculpin, Snubnose: Northern range extension, 160-162
Seatrout, Spotted: Culture and hybridization with orangemouth corvina, 105-115
Shark, Prickly: Observations in Monterey Bay, California, 166-168
Snag trees, High-cut Stumps: Use by birds, 78-83
Swallows: Weather-related mortality, 128-130
Temperature: Critical thermal maxima for fish in the Klamath Basin, 145-152
Treefrog, Pacific: distribution as influenced by ph and acid neutralizing capacity of pond habitats, 11-19
Whales, Baird's Beaked: Notes on mass stranding, 116-123

SCIENTIFIC NAMES

Berardius bairdii, 116-123
Branta canadensis minima, 65-77
Cebidichthys violaceus, 57-64
Chasmistes brevirostris, 145-152
Clupea pallasi, 20-44
Cryptochia denningi, 48
Cryptochia excella, 48-49
Cryptochia shasta, 49
Cynoscion nebulosus, 105-115
Cynoscion xanthulus, 105-115
Deltistes luxatus, 145
Desmona bethula, 49
Diplectrona californica, 47
Ecclisomyia bilera, 50
Echinorhinus cookei, 166-168
Farula praelonga, 52
Gila bicolor, 145-152
Gila coerulea, 145-152
Goeracea oregona, 50
Gymnothorax castaneus, 172
Haemulon flaviguttatum, 163-165
Hirundo pyrrhonta, 128-130
Lepidostoma ermanae, 47-48
Lepisosteus spatula, 169-171
Limnephilus atercus, 50-51
Neothremma genella, 53
Neothremma siskiyou, 53
Odocoileus hemionus, 1-10, 153-159
Odocoileus hemionus columbianus, 124-127, 131-132
Oncorhynchus kisutch, 88-104
Orthonopias triacis, 160-162
Panulirus interruptus, 136-144
Parapsyche extensa, 47
Parus gambeli, 81
Parus rufescens, 81